

Purso Terrace Glazing System

### Enjoy your terrace in spite of the weather

With the Purso Terrace Glazing System you can create comfortable and sheltered extra space on your terrace. You are protected from the rain and wind and can enjoy your terrace despite the weather or the time of year.

Purso Terrace Glazing System

Year-round sheltered porch


Timeless design

Smart, integrated terrace

- Designed from durable materials.
- Easy and safe to use all around the year.
- The use of several different **locking systems** is possible.
- Consists of horizontal slide rails and sliding glass elements.
- Slide rail profiles are installed into floor and ceiling structures. Slide rails are inclined outwards, which means that water will drain away from water holes.
- The frames of the glass elements are durable aluminum. Brush seals between glass elements keep joints tight.









## Timeless and durable design

Slide rail profiles are available with 2, 3, 4 and 5 rails. The indoor model of the slide rail profiles includes 2 rails without drainage holes. The indoor model is also lower.

Maximum dimensions of a glass element (width x height):


4 mm glass: 1000 mm x 2500 mm 6 mm glass: 1200 mm x 2700 mm


### **Resilient lockingpoint**

With a resilient lock with the possibility to set it in open mode you are always sure of easy and safe use of the sliding units.



WL03-0001





R2/5 Slide rail-5

R2/4 Slide rail-4










R2/3 Slide rail-5

R2/2 Slide rail-2

R7 Slide rail-2 indoor






R3 Horisontal profile


R5 Vertical U-profile





R4 Vertical profile without handle

R6 Vertical profile, 1-handle







R6A Vertical profile, 2-har







Wheel

# Classification

### Terrace-system with 4mm glass, H=2500 mm

Standard	Classification
Windload resistance test (EN 12211, EN 12210)	Class 2 (+/- 800 Pa)
Safety test (EN 12210)	1200 Pa
Pendulum-impact resistance (EN 13049)	Drop height 200 mm

#### Terrace-system with 6mm glass, H=2700 mm

Standard	Classification
Windload resistance test (EN 12211, EN 12210)	Class 3 (+/- 1200 Pa)
Safety test (EN 12210)	1800 Pa
Pendulum-impact resistance (EN 13049)	Drop height 300 mm

# Easy manufacturing



To manufacture Purso's Terrace Glazing System the use of this punching tool is enough. The tool will make all required machinings.

In the end, you as a manufacturer will not need expensive CNC-machines r software.

Could it be better?

Sales and technical information

Product of



Alumiinitie 1 FI-37200 Siuro, FINLAND Tel +358 3 3404 111 Fax +358 3 3404 500

